

S50CT / H50CT



STRONG PARTNERS. TOUGH TRUCKS.™



H50CT
Pneumatic tire



S50CT
Cushion tire



THERE'S TOO BIG. AND TOO SMALL. WELCOME TO JUST RIGHT.



The innovation of the new Hyster® S/H50CT isn't found in a few features. It's everywhere you look, and in everything you feel and drive. The S/H50CT retains the legendary toughness, reliability and productivity that you've come to expect from Hyster. We've even tried to simplify your decision-making process. Just to the right, you'll see a list of intended applications. If you find yourself there, the S/H50CT model is the truck for you. Let's see what it can do.

THE PERFECT TRUCK FOR APPLICATIONS LIKE THESE.

Agricultural

Fruit & vegetable farming
Nurseries
Farmers markets



Government & Services

Universities & colleges
Maintenance
Groundskeeping
Hotels & motels
Amusement parks
Convention centers



General Warehousing & Distribution

Lawn & garden supply
Appliance, home furnishing, electronics
HVAC
Sporting goods
Auto parts
Office equipment
Movers and storage



Beverage Distribution & Bottling

Soft drinks
Juices
Bottled water
Brewers
Distillers
Wineries
Beverage wholesalers



Light Manufacturing

Electronics
Furniture & home
Medical
Pottery
Printing
Rubber & plastics



Retail

Floor covering
Glass, paint & wallpaper
Hardware
Ag supply
Appliances
Auto supply
Finished wood products






ENHANCED PRODUCTIVITY. A BYPRODUCT OF THE RIGHT FIT.

Whether you have tons of bagged fertilizer to stack, or pallets of manufacturing components to carefully move through the line, the S/H50CT truck is made to work hard, but intelligently. By thoroughly analyzing the needs within each industry and listening to you, our co-designers, the result is a truck with right-sized components, allowing your drivers the maneuverability they need without sacrificing strength and throughput. A standard 2.2L engine, basic transmission and lighter overall weight create a configuration that squeezes every bit of efficiency from every chore it's asked to do. An optional 2.6L diesel engine is also available.

IDEAL SIZE LEADS TO LOWER OPERATING COSTS.


The CT provides an excellent balance of fuel consumption, and productivity, saving valuable dollars. Utilizing a documented industry standard test cycle, the CT used less fuel than the major competition. This translates into lower costs and an improvement to the bottom line. The Hyster® CT used up to 12% less fuel than the leading competitors.



**Tests conducted using standard engine configuration.*

EFFICIENT. AND PRODUCTIVE.

The CT has productivity when it counts. In your application, it doesn't do any good to have product sitting around. In "application based" testing, Hyster simulated a trailer unloading cycle, where 24 pallets of product were unloaded from a flatbed trailer. The Hyster® truck unloaded the trailer 12% faster than the major competitors' average.



IT'S NOT JUST TOUGH. IT'S DEPENDABLE, TOO.



The way you use a truck of course depends on your industry, but one thing had to be true of the S/H50CT: though not in constant use, it'd better be ready when you are. By using proven components like sealed electrical connectors, O-ring face seal fittings and a historically durable transmission, the S/H50CT is eager to fire up and work hard when you need it to. A reliable electrical system and application-matched components means zero sacrifices in quality, and the dependability you've come to expect from Hyster.





ERGONOMICS. OUR SOFTER, GENTLER SIDE.

An aggressive, hungry-to-work machine like the S/H50CT still needs to be comfortable. It's incredibly important to your operators, and ultimately, your bottom line. After all, it's simply human nature that if the truck you're using is more comfortable, you'll use it more: more efficiently, more productively, squeezing out more profit. The operator compartment boasts a low step height of 14 in., with ample foot room and lower vibration thanks to our isolated powertrain. Thoughtful touches like a 12 in. steering wheel atop a tilting steer column offers infinite adjustments and comfort, plus a non-cinching seatbelt that stays loose during normal driving conditions, and automatically locks for safety if the situation requires it.

EVERYTHING ABOUT IT IS TOUGH. EXCEPT SERVICING IT.

You haven't fully tested the new S/H50CT truck until the first time you service it. That's when its "cowl-to-counterweight" access and one-piece floorplate reveal other engineering advantages made to keep your truck, and your life, running smoothly. Configured so you don't have to remove the LP tank to open the hood, the S/H50CT clearly wants to make it easier on you to service, so it can get back to its true calling: work. And when needed, your Hyster dealer is ready with fast, cost-efficient support.



S/H50CT FEATURES AND OPTIONS

STANDARD EQUIPMENT:

Mazda 2.2L LPG Engine
42" Class 2 Fork Carriage (H50CT)
38.5" Class 2 Fork Carriage (S50CT)
42" Standard Taper Pallet Forks
Load Backrest Extension - 48" high
5° Forward / 5° Back tilt
Two (2) Cowl Mounted Mechanical Hydraulic Control Levers
3 Function (1 Aux.) Hydraulic Control Valve
Single Pedal Inch Brake
LPG Tank Bracket
Serpentine Radiator
U.L. Classification LP
Overhead Guard 85" (2149mm)
12" Steering Wheel with Wheel Spinner Knob
Keyswitch Start with Anti-restart
Forward / Reverse Direction Lever
Non-suspension Vinyl Seat
Counterweight Exhaust
Low Fuel Indicator
Hyster Stability System (HSS®)
Integrated Dashboard Display
Adjustable Steering Column
Power Steering
Floor Mat
Operator Restraint System
Operator Presence System (OPS)
Non-Cinch Seat Belts
Integral Tie Downs
Operating Manual
12 Months / 2,000 Hours Manufacturer's Warranty
24 Months / 4,000 Hours Manufacturer's Powertrain Warranty

OPTIONAL EQUIPMENT:

2.6L Yanmar Diesel Engine (H50CT)
42" Wide Integral Sideshifter (H50CT)
38.5" Wide Integral Sideshifter (S50CT)
48" Long Forks
Pneumatic Shaped Solid Drive and Steer Tires (H50CT)
Non-Marking Solid Drive and Steer Tires (S50CT)
Audible Reverse Activated Self Adjusting Alarm 82-102 dB(A)
Full Suspension Vinyl Seat
Visible Amber Strobe Light - Continuous Activated, Overhead Guard Mounting
Halogen Front and Rear Worklights
Halogen Front and Rear Worklights with LED Brake, Tail and Back up Lights
Dual Side View Mirrors
2.5 Lb. Fire Extinguisher
Rear Drive Handle with Horn Button
Additional Height Triplex Masts
Three (3) or Four (4) Cowl Mounted Mechanical Hydraulic Control Levers for Non Clamping Attachments
4 Function (2 Aux.) Hydraulic Control Valve
3 Function (1 Aux.) Hose Group
4 Function (2 Aux.) Hose Group
LED Front and Rear Worklights
LED Front and Rear Worklights with LED Brake, Tail & Reverse Lights
Attachment Extension Tubes With or Without Quick Disconnects
23 x 10 x 12 Wide Pneumatic Shaped Solid Drive tires (H50CT)
81" MFH 'Truckers Mast' (S50CT)

ONLY ONE THING WORKS HARDER FOR YOU THAN HYSTER® TRUCKS. AND THAT'S HYSTER PEOPLE.



Anyone who has owned a Hyster can tell you our reputation for support doesn't come from just a well-made seat. We've worked extremely hard to build

an exemplary track record for service. With a well-established network of dealer locations that staff only the most experienced, knowledgeable mechanics and salespeople, our relationship with you continues well after your truck is delivered.

Visit us online at www.hyster.com/americas or call us at 1-800-HYSTER-1.



Hyster Company
P.O. Box 7006
Greenville, North Carolina
27835-7006
Part No. S/H50CT/BTG
3/2012 Litho in U.S.A.

Hyster and  are registered trademarks of Hyster Company. Hyster products are subject to change without notice.

The Hyster Company products included in this document may be covered by U.S. Patent 6,684,148 and other patents pending. Trucks shown with optional equipment. ©2012 Hyster Company. All rights reserved.